# ACE AP Calculus AB

# **Gottfried Leibniz**



# Isaac Newton



Name Period \_\_\_\_

# SUMMER PACKET 2024

#### Topics A-U and V: Due Monday, September 9, 2024

Post any questions to me through email. I will answer from time to time, so I recommend moving on to a different topic until you've heard from me. If necessary, I will make myself available for help/tutoring session during the week before school starts. Once school starts, I will always be available 7:30 am daily and during activity block. There will be no class time devoted to reviewing this material.

Be sure to show all your work. Credit will not be given for a work.	answers not supported by adequate		
We will do V in class			
Topics A-Q,V Correctness Score / 15	Topics R-U Correctness		
Score / 5	•		
Topics A-Q.V Completeness Score / 20	Topics R-U Completeness		
Score / 10			

Summer Packet grade will be entered in the Homework and Participation Category



2.) If 
$$V(r) = \frac{4}{3}\pi r^3$$
, find:  
a.)  $V\left(\frac{3}{4}\right)$  b.)  $V(r+1) - V(r-1)$  c.)  $\frac{V(2r)}{V(r)}$ 

3.) If 
$$f(x)$$
 and  $g(x)$  are given in the graph, find:  
a.)  $(f-g)(3)$ 
b.)  $f(g(3))$ 



4.) If  

$$\begin{aligned}
f(x) &= \begin{cases} -x, & x < 0 \\ x^2 - 1, & 0 \le x < 2 \\ \sqrt{x + 2} - 2, & x \ge 2 \\ a.) & f(0) - f(2) & b.) & \sqrt{5 - f(-4)} \\ & c.) & f(f(3)) \end{aligned}$$

## **Topic B: Domain and Range**

Find the domain of the following functions using interval notation:

1.) 
$$f(x) = 3$$
  
2.)  $y = x^3 - x^2 + x$   
3.)  $y = \frac{x^3 - x^2 + x}{x}$   
4.)  $y = \frac{x - 4}{x^2 - 16}$   
5.)  $f(x) = \frac{1}{4x^2 - 4x - 3}$   
6.)  $y = \sqrt{2x - 9}$ 

7.) 
$$y = \log(x-10)$$
  
8.)  $y = \frac{\sqrt{2x+14}}{x^2-49}$ 

Find the range of the following functions:

9.) 
$$y = x^4 + x^2 - 1$$
  
10.)  $y = 100^x$   
11.)  $y = \sqrt{x^2 + 1 + 1}$ 

Find the domain and range of the following functions using interval notation. 12.) 13.) 14.)



#### **Topic C: Graphs of Common Functions**

Sketch each of the following as accurately as possible. You will need to be VERY familiar with each of these graphs throughout the year. You may use a graphing calculator for some of them if you have access to one over the summer. If you do not have one for the summer, I strongly recommend you use try <u>www.desmos.com</u>. There is an app for Desmos as well that is free that you can install on your phones. Again, these are VERY important graphs to know. Be very accurate with regards to "open circles" and "closed circles" as those features may not be revealed on a graphing utility. For students who have not taken Trigonometry yet, do your best with #'s 9-14.

































20.  $y = 2^x$ 



Topic D: Even/Odd Functions and Symmetry

Show work to determine if the relation is even, odd, or neither. You may want to research how to determine evenness and oddness.

1.) 
$$f(x) = 7$$
  
2.)  $f(x) = 2x^2 - 4x$   
3.)  $f(x) = -3x^3 - 2x$ 

4.) 
$$f(x) = \sqrt{x+1}$$
  
5.)  $f(x) = \sqrt{x^2+1}$   
6.)  $f(x) = |8x|$ 

Show work to determine if the graphs of these equations are symmetric to the *x*-axis, *y*-axis, or the origin. 7.) 4x = 1 8.)  $y^2 = 2x^4 + 6$  9.)  $3x^2 = 4y^3$ 

10.) 
$$x = |y|$$
  
11.)  $|x| = |y|$   
12.)  $|x| = y^2 + 2y + 1$ 

## **Topic E: Function Transformations**

If 
$$f(x) = x^2 - 1$$
, describe in words what the following would do to the graph of  $f(x)$ :  
1.)  $f(x) - 4$   
2.)  $f(x-4)$   
3.)  $-f(x+2)$ 

4.) 
$$5f(x)+3$$
 5.)  $f(2x)$  6.)  $|f(x)|$ 



Sketch the following graphs:



**Topic F: Special Factorization** 

Factor completely.		
1.) $x^3 + 8$	2.) $x^3 - 8$	3.) $27x^3 - 125y^3$

4.)  $x^4 + 11x^2 - 80$ 

5.) ac + cd - ab - bd

6.) 
$$2x^2 + 50y^2 - 20xy$$

7.) 
$$x^{2} + 12x + 36 - 9y^{2}$$
  
8.)  $x^{3} - xy^{2} + x^{2}y - y^{3}$   
9.)  $(x-3)^{2}(2x+1)^{3} + (x-3)^{3}(2x+1)^{2}$ 

## **Topic G: Linear Functions**

1.) Find the equation of the line in point-slope form, with the given slope, passing through the given point.  $2 \begin{pmatrix} 1 \\ 1 \end{pmatrix}$ 

a.) 
$$m = -7$$
,  $(-3, -7)$   
b.)  $m = -\frac{1}{2}$ ,  $(2, -8)$   
c.)  $m = \frac{2}{3}$ ,  $\left(-6, \frac{1}{3}\right)$ 

2.) Find the equation of the line in point-slope form, passing through the given points.

a.) 
$$(-3, 6), (-1, 2)$$
  
b.)  $(-7, 1), (3, -4)$   
c.)  $\begin{pmatrix} -2, \frac{2}{3} \end{pmatrix}, \begin{pmatrix} \frac{1}{2}, 1 \end{pmatrix}$ 

3.) Find the equations of the lines through the given point that are a.) parallel and b.) normal to the given line.

a.) 
$$(5, -3), x + y = 4$$
  
b.)  $(-6, 2), 5x + 2y = 7$   
c.)  $(-3, -4), y = -2$ 

4.) Find the equation of the line in general form, containing the point (4, -2) and parallel to the line containing the points (-1, 4) and (2, 3).

5.) Find k if the lines 3x-5y=9 and 2x+ky=11 are a.) parallel and b.) perpendicular.

## **Topic H: Solving Quadratic and Polynomial Equations**

Solve each equation for *x* over the real number system.

1.) 
$$x^{2} + 7x - 18 = 0$$
  
2.)  $x^{2} + x + \frac{1}{4} = 0$   
3.)  $2x^{2} - 72 = 0$ 

4.) 
$$12x^2 - 5x = 2$$
  
5.)  $20x^2 - 56x + 15 = 0$   
6.)  $81x^2 + 72x + 16 = 0$ 

7.) 
$$x + \frac{1}{x} = \frac{17}{4}$$
  
8.)  $x^3 - 5x^2 + 5x - 25 = 0$   
9.)  $2x^4 - 15x^3 + 18x^2 = 0$ 

10.) If  $y = x^2 + kx - k$ , for what values of k will the quadratic have two real solutions?

# **Topic I: Asymptotes**

For each function, find the equations of both the vertical asymptote(s) and horizontal asymptote (if it exists) and the location of any holes.

$$y = \frac{x-1}{x+5}$$

$$y = \frac{8}{x^2}$$

$$y = \frac{2x+16}{x+8}$$

$$y = \frac{2x+16}{x+8}$$

4.) 
$$y = \frac{2x^2 + 6x}{x^2 + 5x + 6}$$
   
5.)  $y = \frac{x}{x^2 - 25}$    
6.)  $y = \frac{x^2 - 5}{2x^2 - 12}$ 

y = 
$$\frac{x^3}{x^2 + 4}$$
   
8.)  $y = \frac{x^3 + 4x}{x^3 - 2x^2 + 4x - 8}$    
9.)  $y = \frac{10x + 20}{x^3 - 2x^2 - 4x + 8}$ 

10.) 
$$y = \frac{1}{x} - \frac{x}{x+2}$$
 (Hint: Express with a common denominator)

# **Topic J: Negative and Fractional Exponents**

Simplify and write with positive exponents.

1.) 
$$-12^{2}x^{-5}$$
 2.)  $(-12x^{5})^{-2}$  3.)  $(4x^{-1})^{-1}$ 

4.) 
$$\left(\frac{-4}{x^4}\right)^{-3}$$
 5.)  $\left(\frac{5x^3}{y^2}\right)^{-3}$  6.)  $\left(x^3 - 1\right)^{-2}$ 

7.) 
$$(121x^8)^{\frac{1}{2}}$$
 8.)  $(8x^2)^{-\frac{4}{3}}$  9.)  $(-32x^{-5})^{-\frac{3}{5}}$ 

10.) 
$$\frac{1}{4}(16x^2)^{-\frac{3}{4}}(32x)$$
  $\frac{(x^2-1)^{-\frac{1}{2}}}{(x^2+1)^{\frac{1}{2}}}$  12.)  $(x^{-2}+2^{-2})^{-1}$ 

# **Topic K: Complex Fractions**

Eliminate the complex fractions:  

$$\frac{\frac{5}{8}}{-\frac{2}{3}} \qquad \qquad \frac{4-\frac{2}{9}}{3+\frac{4}{3}} \qquad \qquad \frac{2+\frac{7}{2}+\frac{3}{5}}{5-\frac{3}{4}}$$
1.)

$$\frac{x-\frac{1}{x}}{x+\frac{1}{x}}$$

$$5.) \frac{1+x^{-1}}{1-x^{-2}}$$

$$6.) \frac{x^{-1}+y^{-1}}{x+y}$$

$$7.) \frac{x^{-2}+x^{-1}+1}{x^{-2}-x}$$

$$8.) \frac{\frac{1}{3}(3x-4)^{-\frac{3}{4}}}{-\frac{3}{4}}$$

$$9.) \frac{2x(2x-1)^{\frac{1}{2}}-2x^{2}(2x-1)^{-\frac{1}{2}}}{(2x-1)}$$

4

9.)

8.)

## **Topic L: Inverses**

Find the inverse of each of the following functions and use a graphing utility (TI-84 or Desmos) to show graphically that its inverse is a function.

1.) 
$$2x - 6y = 1$$
  
2.)  $y = ax + b$   
3.)  $y = 9 - x^2, x \ge 0$ 

4.) 
$$y = \sqrt{1 - x^3}$$
  
5.)  $y = \frac{9}{x}$   
6.)  $y = \frac{2x + 1}{3 - 2x}$ 

Find the inverse of each of the following functions and show that  $f(f^{-1}(x)) = x$ 

7.) 
$$f(x) = \frac{1}{2}x - \frac{4}{5}$$
  
8.)  $f(x) = x^2 - 4$   
9.)  $f(x) = \frac{x^2}{x^2 + 1}$ 

10.) Without finding the inverse, find the domain and range of the inverse to  $f(x) = \frac{\sqrt{x+1}}{x^2}$ 

## **Topic M: Adding Fractions and Solving Rational Equations**

1.) Combine the following fractions:

a.) 
$$\frac{2}{3} - \frac{1}{x}$$
 b.)  $\frac{1}{x-3} + \frac{1}{x+3}$ 

c.) 
$$\frac{5}{2x} - \frac{5}{3x+15}$$
 d.)  $\frac{2x-1}{x-1} - \frac{3x}{2x+1}$ 

2.) Solve the equation for *x*.

a.) 
$$\frac{2}{3} - \frac{1}{x} = \frac{5}{6}$$
  
b.)  $\frac{1}{x-3} + \frac{1}{x+3} = \frac{10}{x^2 - 9}$ 

c.) 
$$\frac{5}{2x} - \frac{5}{3(x+5)} = \frac{5}{x}$$
  
d.)  $\frac{2x-1}{x-1} - \frac{3x}{2x+1} = \frac{x^2+11}{2x^2-x-1}$ 

# **Topic N: Absolute Value Equations**

Solve the following equations:

Solve the following equations:  
1.) 
$$4|x+8| = 20$$
  
2.)  $|1-7x| = 13$ 

3.) 
$$|8+2x|+2x = 40$$
  
4.)  $|4x-5|+5x+2=0$ 

5.) 
$$|x^2 - 2x - 1| = 7$$
  
6.)  $|12 - x| = x^2 - 12x$ 

# **Topic O: Solving Inequalities**

Solve the following inequalities:

1.) 
$$5(x-3) \le 8(x+5)$$
  
2.)  $4 - \frac{5x}{3} > -\left(2x + \frac{1}{2}\right)$ 

3.) 
$$\frac{3}{4} > x+1 > \frac{1}{2}$$
  
4.)  $x+7 \ge |5-3x|$   
5.)  $(x+2)^2 < 25$   
6.)  $x^3 < 4x^2$ 

7.) 
$$\frac{5}{x-6} \ge \frac{1}{x+2}$$
 8.) Find the domain of:  $\sqrt{\frac{x^2 - x - 6}{x-4}}$ 

# **Topic P: Exponential Functions and Logarithms**

Simplify the following:

1.) 
$$\log_2 \frac{1}{4}$$
 2.)  $\log_8 4$  3.)  $\ln \frac{1}{\sqrt[3]{e^2}}$ 

4.) 
$$5^{\log_5 40}$$
 5.)  $e^{\ln 12}$ 

6.)  $\log_{12} 2 + \log_{12} 9 + \log_{12} 8$ 

7.) 
$$\log_2 \frac{2}{3} + \log_2 \frac{3}{32}$$
  
8.)  $\log_1 \frac{4}{3} - \log_1 12$   
9.)  $\log_3 (\sqrt{3})^5$ 

Solve the following:

10.) 
$$\log_5(3x-8) = 2$$
  
11.)  $\log_9(x^2-x+3) = \frac{1}{2}$   
12.)  $\log(x-3) + \log 5 = 2$ 

13.) 
$$\log_2(x-1) + \log_2(x+3) = 5$$
 14.)  $\log_5(x+3) - \log_5 x = 2$  15.)  $\ln x^3 - \ln x^2 = \frac{1}{2}$ 

16.) 
$$3^{x-2} = 18$$
 17.)  $e^{3x+1} = 10$  18.)  $8^x = 5^{2x-1}$ 

# **Topic Q: Geometry**

1.) You will use each of the following formulas in AP Calculus AB. Complete each of the following.



Find the area between the *x*-axis and f(x) from x = 0 to x = 5. Sketch the region to verify.







6.)  $f(x) = \begin{cases} x+1, \ x \le 2\\ 5-x, \ x > 2 \end{cases}$ 

7.) Fill in the four blanks.



	6	V		
	1		<u> </u>	_X
·6				6
	-6			

# **Topic R: Basic Right Angle Trigonometry**

(Some ACE AP Calculus students will have to complete this portion of the packet after the school year begins.) Solve the following:

If point *P* is on the terminal side of  $\theta$ , find all 6 trigonometric functions of  $\theta$ . (Answers need not be rationalized.) 1.) P(-2,4) 2.)  $P(\sqrt{5},-2)$ 

3.) If  $\cos\theta = -\frac{5}{13}$ , in quadrant II, find  $\sin\theta$  and  $\tan\theta$ .

4.) If  $\cot \theta = \frac{2\sqrt{10}}{3}$ , in quadrant III, find  $\sin \theta$  and  $\cos \theta$ . 5.) State the quadrant in which each of the following is true.

a.) 
$$\sin \theta > 0$$
 and  $\cos \theta < 0$  b.)  $\csc \theta < 0$  and  $\cot \theta > 0$  c.)  $\tan \theta > 0$  and  $\sec \theta < 0$ 

## **Topic S: Special Angles**

(Some ACE AP Calculus students will have to complete this portion of the packet after the school year begins.)

Evaluate each of the following. 1.)  $\sin^2 120^\circ + \cos^2 120^\circ$ 

2.) 
$$2\tan^2 300^\circ + 3\sin^2 150^\circ - \cos^2 180^\circ$$

3.) 
$$\cot^2 135^\circ - \sin^2 210^\circ + 5\cos^2 225^\circ$$
  
4.)  $\cot(-30^\circ) + 3\tan 600^\circ - \csc(-450^\circ)$ 

5.) 
$$\left(\cos\frac{2\pi}{3} - \tan\frac{3\pi}{4}\right)^2$$
  
6.)  $\left(\sin\frac{11\pi}{6} - \tan\frac{5\pi}{6}\right)\left(\sin\frac{11\pi}{6} + \tan\frac{5\pi}{6}\right)$ 

Determine whether each of the following statements is true or false.

7.) 
$$\frac{\sin\frac{\pi}{6} + \sin\frac{\pi}{3} = \sin\left(\frac{\pi}{6} + \frac{\pi}{3}\right)}{8.)} = \frac{\cos\frac{5\pi}{3} + 1}{\tan^2\frac{5\pi}{3}} = \frac{\cos\frac{5\pi}{3}}{\sec\frac{5\pi}{3} - 1}$$

9.) 
$$2\left(\frac{3\pi}{2} + \sin\frac{3\pi}{2}\right)\left(1 + \cos\frac{3\pi}{2}\right) > 0$$
   
 10.)  $\frac{\cos^3\frac{4\pi}{3} + \sin\frac{4\pi}{3}}{\cos^2\frac{4\pi}{3}} > 0$ 

## **Topic T: Trigonometric Identities**

(Some ACE AP Calculus students will have to complete this portion of the packet after the school year begins.)

Verify the following identities: 1.)  $(1 + \sin x)(1 - \sin x) = \cos^2 x$ 2.)  $\sec^2 x + 3 = \tan^2 x + 4$ 

$1 - \sec x$	1	1 .
$3.) \frac{1-\cos x}{1-\cos x} = -\sec x$	4.) $\frac{1}{1 + \tan x} + \frac{1}{1 + \tan x}$	$\frac{1}{1 + \cot x} = 1$

5.) 
$$\csc(2x) = \frac{\csc x}{2\cos x}$$
  
6.)  $\frac{\cos(3x)}{\cos x} = 1 - 4\sin^2 x$ 

## **Topic U: Solving Trigonometric Equations**

(Some ACE AP Calculus students will have to complete this portion of the packet after the school year begins.)

Solve each equation on the interval  $\begin{bmatrix} 0, 2\pi \end{bmatrix}$ . Do not use a calculator. 1.)  $\sin^2 x = \sin x$ 2.)  $3\tan^3 x = \tan x$ 

3.)  $\sin^2 x = 3\cos^2 x$ 

4.)  $\cos x + \sin x \tan x = 2$ 

5.)  $\sin x = \cos x$ 

6.)  $2\cos^2 x + \sin x - 1 = 0$ 

## **Topic V. Graphical Solutions to Equations and Inequalities**

You have a TI - 84 graphing calculator. So when are we going to use it? So far, no mention has been made of it. Yet, a graphing calculator is a tool that is required on the AP Calculus exam. For about 25% of the exam, a calculator is permitted. So it is vital you are comfortable using it.

There are several settings of the calculator you should make. First, so you don't get into rounding difficulties, it is suggested you set your calculator to show at least three decimal places (and preferably more). This is

standard on the AP Calculs exam, so it's best we start getting used to it. To do this, press the from button, followed by 5 Settings, then 2: Document Settings... Be sure the Display Digits option is set to Float 6. This will ensure that you always see 6 digits across the screen. (There may be times that this can be a problem – i.e. when you have a decimal answer with four or more digits to the left of the decimal. We'll deal with this later.) Also, be sure that your calculator's Angle Setting is in Radian mode throughout the year. To make these changes "stick" select Make Default at the bottom.

You must know how to graph functions on your TI-Nspire. The best way to graph a function is to press the Calculator 🔎 key (located in the upper left corner of your handheld just below esc) twice on the left side. Notice how each time you press this button, your screen toggles between a calculator page and a graphing page. While on a graphing page, select **e** to bring up the function entry line. Next input the expression you wish to graph and press Enter.

#### How to find zeros (solutions or x-intercepts) of a function.

Step 1: Enter the left side of the equation that's alreay set equal to zero (for

example,  $2x^2 - 9x + 3 = 0$ ) into the fI(x) entry line.

Step 2: Select followed by 6: Analyze Graph and 1: Zero

Step 3: Move the cursor to a position you feel is left of the zero you wish to find first and press Enter. Then move the cursor to the right of the desired zero you wish to find and press Enter. You will notice that the ordered pair for the zero will show up automatically once it falls within the range of your lower and upper bound.



Note: Actions 3 and a state of the state of th	ad 🗢 🛛 🚺 🗶
A 3: Graph Entry/Edit	4. 1: Zero
/1\ 5: Trace ↓ 6: Analyze Graph 1 1 2: Table	🕼 2: Minimum 🎧 3: Maximum
11 8: Settings	A: Intersection
-7.39	► 7: Integral • 8: Analyze Conics ►



## You can find relative Maximum and Minimum values in a similar way.

#### How to find the intersection of two functions.

Step 1: Enter each side of the equation (for example,  $x^3 = 2x - 3$  into the fI(x) and f2(x) entry lines.

Step 2: Select followed by 6: Analyze Graph and 4: Intersection

Step 3: Repeat Step 3 above.

This problem could also be solved by setting the above equation equal to zero, and using the following procedure "free 6: Analyze Graph and 1: Zero" instead.

Note: You can always move things around on your screen and place them in positions that may make them easier to read. To do this, rub your finger over the Touchpad until the cursor appears. Move the cursor to the item (i.e. intersection ordered pair from the example above) you want to move. An open hand should appear. Press Enter to close the hand. By rubbing the Touchpad, the ordered pair should move. Press Enter when you have found a suitable place to put it.

We will learn much more about the functionality of this calculator in the first several days of class. While many of these problems on this page can be done with other graphing utilities (desmos, etc.), I highly recommned that you wait to do these problems when you have a TI-Nspire.

## **Topic V: Using the TI-Nspire (Continued)**

Use your TI-Nspire to find the zeros of each of the following functions. Make sure each equation is set equal to zero first.

1.)  $3x^3 - x - 5 = 0$ 2.)  $2x^2 - 1 = 2^x$ 

3.)  $2\ln(x+1) = 5\cos x$  on  $[0, 2\pi)$ 

Use your TI-Nspire to find the solution (intersection) of the given system of equations.

4.) 
$$\begin{cases} f(x) = x^4 - 6.5x^2 + 6x + 2\\ g(x) = 1 + x + e^{x^2 - 2x} \end{cases}$$

Use your TI-Nspire to find both a relative maximum and a relative minimum point of the given function.

5.) 
$$h(x) = 2x^5 - 3x^4 + x - 4$$